


This material was developed by JAMP Pharma, as part of the risk minimization plan for <sup>Pt</sup>SIMLANDI. This material is not intended for promotional use.

 **Simlandi**<sup>TM/MC</sup>  
(adalimumab)

**PEDIATRIC • PATIENT REMINDER CARD**

If your child gets any side effects, talk to your child's doctor, pharmacist or nurse. You can report any side effects your child may get to JAMP Pharma Medical Information Services at **1-866-399-9091** or via email: **[medinfo@jamppharma.com](mailto:medinfo@jamppharma.com)**

Last updated: July 2021



This card contains selected important safety information that you need to know before and during your child's treatment with SIMLANDI.

- Keep this card with you at all times and for 70 days after your child's last injection of SIMLANDI.
- Show this card to any doctor or healthcare professional that your child see.
- Record information about any tuberculosis test or treatment your child has had on the back of this card.

## Introduction

SIMLANDI is a medicine that is intended to treat certain diseases that affect a part of the immune system. While SIMLANDI can be effective in treating these diseases, some people can have one or more side effects. It is important to talk to your child's doctor about the possible benefits and possible side effects of taking SIMLANDI. These can be different for each person.

- The purpose of this card is to tell you about some of the possible side effects of SIMLANDI.
- Some of the serious side effects that could occur include infections, cancer, and nervous system problems.
- These are not all of the possible side effects of SIMLANDI.

## **Before SIMLANDI Treatment**

Tell your child's doctor about any health problems your child has and any medicines your child takes. This will help you and your child's doctor decide if SIMLANDI is right for your child.

### **Tell your child's doctor if your child:**

- Has an infection or has symptoms of an infection (such as fever, wounds, feeling tired, dental problems)
- Has tuberculosis or has been in close contact with someone with tuberculosis
- Has or has had cancer
- Has any numbness or tingling or has a problem that affects your child's nervous system, such as multiple sclerosis

Your child's doctor should check him or her for signs and symptoms of tuberculosis before starting SIMLANDI. Your child may need to be treated for tuberculosis before he or she starts SIMLANDI.

## Vaccinations

- Your child's doctor may suggest certain vaccinations for your child before they start SIMLANDI. Live vaccines should not be administered to your child while taking SIMLANDI. If your child receives SIMLANDI while pregnant, it is important that you inform the baby's doctor before the baby receives any vaccine. The baby should not receive a 'live vaccine', such as BCG (used to prevent tuberculosis) within 5 months following your child's last SIMLANDI injection during pregnancy.

## **During SIMLANDI Treatment**

To make sure that SIMLANDI is working properly and safely for your child, you should check in with his or her doctor regularly to discuss how your child is doing. Tell your doctor right away about any changes in your child's condition.

## **Keep your child's doctor informed about how SIMLANDI is working for your child.**

- It is important to call your child's doctor right away about any unusual symptoms your child may have. This will help make sure your child gets the right care. It will also lower the chance of a side effect becoming worse.
- Many side effects, including infections, can be managed if you tell your child's doctor right away.

- If your child gets a side effect, your child's doctor will decide if your child should continue or stop his or her SIMLANDI treatment. It is important to talk with your child's doctor to find out what is right for your child.
- Since side effects can happen after your child's last dose of SIMLANDI, tell your child's doctor about any problems that your child may have up to 70 days after your child's last injection of SIMLANDI.

**Tell your child's doctor about:**

- Any new medical conditions that your child has
- New medicines your child is taking
- Any surgery or operation that is planned for your child.

Some people taking SIMLANDI may get serious side effects, including:

### **Infections**

SIMLANDI helps people with certain inflammatory diseases. It does this by blocking a part of the immune system. However, this part of the immune system also helps fight infection. This means SIMLANDI can make your child more likely to get infections or make any infection that your child may have worse. This includes infections such as colds or more serious infections like tuberculosis



## **Cancer**

- If your child takes SIMLANDI, the risk of getting certain types of cancer may increase

## **Nervous system problems**

- Some people have developed new or worsening nervous system problems with SIMLANDI. This includes multiple sclerosis.

Please read the SIMLANDI Patient Medication Information Leaflet for more information. These are not all of the possible side effects that may occur during treatment with SIMLANDI.

**Call your child's doctor or get medical care right away if your child has any of the following symptoms of these possible serious side effects:**

**Infections**

- Fever, chills, unusual sweating, feeling unwell or more tired than normal, feeling or being sick (such as nausea or vomiting), diarrhoea, stomach pain, loss of appetite or weight loss, cough or coughing up blood or mucus, shortness of breath, problems urinating, skin sores, wounds, muscle aches, dental problems.

## **Cancer**

- Night sweats, swelling of the lymph nodes (swollen glands) in the neck, armpits, groin or other areas, weight loss, new skin lesions or change in skin lesions (such as moles or freckles) your child already has, severe itchiness that cannot be explained.

## **Nervous system problems**

- Numbness or tingling, vision changes, muscle weakness, unexplained dizziness

**Tell your child's doctor about any unusual symptoms that your child may have during treatment with SIMLANDI. These are not all of the possible symptoms of these side effects.**

**Information for you and healthcare professionals involved in your child's medical care or treatment**

**Tuberculosis (TB) Test and Treatment**

**Mark this box if your child has ever been tested for TB:**


**YES** (Check with your child's doctor if you do not know)

**Mark this box if your child has ever had any test that was positive for TB:**

**YES** (Check with your child's doctor if you do not know)

**Mark this box if your child has ever taken any pills to treat or prevent TB:**

**YES** (Check with your child's doctor if you do not know)



Please read the SIMLANDI Patient Medication Information Leaflet for more information.

If you have any other questions, talk to your child's doctor or another healthcare professional.

Your child's name: \_\_\_\_\_

Your child's doctor's name  
(who prescribed SIMLANDI): \_\_\_\_\_


Your child's doctor's phone number: \_\_\_\_\_

Indication: \_\_\_\_\_

Date of your child's first SIMLANDI injection: \_\_\_\_\_

Dose of your child's SIMLANDI injection: \_\_\_\_\_

Date of your child's last SIMLANDI injection: \_\_\_\_\_



Please fill out information for your child and healthcare professionals involved in your child's medical care or treatment.